

Product No.	Desc.	A	B	C	Weight
		mm	mm	mm	g



RC00010 >	188.0	119.0	23.0	173
---------------------	-------	-------	------	-----






RC00011 >	280.0	175.0	28.0	540
---------------------	-------	-------	------	-----














RC00012 >	280.0	175.0	23.0	540
---------------------	-------	-------	------	-----



RC00013 >	346.0	227.0	28.0	971
---------------------	-------	-------	------	-----

Product No.	Desc.	Weight
		g
	PNP25A > Leech line cleat	10
	PNP375 > Headboard plates, 90mm x 75mm (3 1/2" x 3")	10
	PNP376 > Headboard plates, 120mm x 100mm (4 3/4" x 4")	26

Product Desc. No.	Weight	
		g
	PNP83 > Suits battens up to 50mm (2") x 6mm (1/4")	17
	PNP87 > Suits battens up to 16mm (5/8") x 4mm (5/32")	9
	PNP105 > Suits battens up to 40mm (1 1/2") x 5mm (3/16")	17
	PNP148 > Heavy duty. Suits battens up to 50mm (2") x 8mm (5/16")	90
	PNP155 > Vernier adjuster, suits battens up to 22mm (7/8") x 10mm (3/8"), or 13mm (1/2") dia.	148

Product Desc. No.	Weight	
		g
	PNP17T > 12mm (1/2") dia. x 38mm (1 1/2") long	4
	PNP18T > 10mm (3/8") dia. X 38mm (1 1/2") long	4
	PNP27T > 16mm (5/8") wide x 32mm (1 1/4") long	4
	PNP28T > 22mm (7/8") wide x 42mm (1 5/8") long	8
	PNP29T > 9mm (3/8") dia. x 32mm (1 1/4") long	2
	PNP47 > Suits external track	14



PNP102 > Compression flange, 8.4mm (5/16") dia. x 45mm (1 3/4") long

8



PNP103 > Compression flange, 9.8mm (3/8") dia. x 46mm (1 3/4") long

10



PNP104 > Compression flange, 11.6mm (1/2") dia. x 49mm (2") long

11



PNP140 > 12mm (15/32") wide x 31 (1 3/16") long

8



PNP141 > 13mm (1/2") wide x 31mm (1 3/16") long

10



PNP149 > Heavy duty, 22mm (7/8") wide x 63mm (2 1/2") long

25



PNP150 > Heavy duty, 11mm (7/16") dia. x 70mm (2 3/4") long

21



PNP201 > Compression flange, 8.5mm (5/16") dia. x 30mm (1 3/16") long

6



PNP203 > Stainless steel insert, 22mm (7/8") wide x 60mm (2 1/8") long

28



PNP204 > Compression flange, stainless steel insert, 9mm (3/8") dia. x 60mm (2 1/8") long

43







PNP302 > Stainless steel insert, 8mm (5/16") dia. x 45mm (1 3/4") long






13



PNP303 > Stainless steel insert, 9.5mm (3/8") dia. x 50mm (2") long

15

Product Desc. No.	Weight		
			g
	PNP14 >	Twist-on, suits 3mm (1/8") dia. wire, 31mm (1 1/4") long	5
	PNP14B >	Twist-on, suits 5.5mm (3/16") dia. wire, 37mm (1 1/2") long	7
	PNP88A >	Piston, suits 6.4mm (1/4") dia. wire, 50mm (2") long	8
	PNP88C >	Piston, suits 11.2mm (7/16") dia. wire, 75mm (3") long	22

Product Desc. No.	Cable Ø	A	B	C	Weight		
			mm	mm	mm	mm	g
	RF2180 >		3.0	9.0	4.5	16.0	3
	RF2181 >		4.0	11.0	5.5	20.0	5
	RF2182 >		5.0	17.0	6.3	27.0	10
	RF2183 >		6.0	21.0	8.5	33.0	20
	RF2184 >		8.0	26.0	11.0	40.0	40